

Introduction to Control

Bo Bernhardsson







thanks to Karl-Erik Årzen, Karl Johan Åström, Erik Johannesson

Nationalencyklopedin

regle´rteknik, läran om styrda system, ett grundläggande ämne inom ingenjörsvetenskapen.

The Idea of Feedback

Compare the actual result with desired result
Take actions based on the difference

Feedback is also called **closed loop control.**

An alternative is **feedforward** or **open loop control**: make a plan and execute it

Example: Cruise Control

Typical regulation problem – keep velocity constant



- Process input or control variable: gas pedal (throttle) u
- Process output : car speed v
- Desired output or reference signal: desired car speed r
- Main disturbance: slope Θ

Cruise Control: Open loop



- Open loop
- Problems?

Cruise Control: Feedback



- Closed loop
- Simple controller:
  - Error > 0: increase throttle
  - Error < 0: decrease throttle

(This simple controller will not work very well)

Feedback (återkoppling)

Feedback has some amazing properties, it can

+ make good systems out of bad components
+ reduce impact of disturbances and sensitivity to component variations
+ create desired behavior, for example linear behavior from nonlinear components or stable system from unstable

The major drawbacks are that

- Feedback can cause instabilities
- Sensor noise is fed into the system

The ABB IRB 2000 Robot



- Axes: 6
- Payload: 10 kg
- H-Reach: 1542 mm
- Repeatability: ±0.1 mm
- Robot Mass: 350 kg

Design compromise:
Power (speed, force), stiffness (repeatability) **versus**
cost, weight, power consumption



Robot Power and Speed

Flexibility, Safety



Robot Precision

Superior control is vital for market leadership

Ball and Beam Process (Lecture 14)





Good Systems from Bad Components

Example: The **feedback amplifier**

- Invented by H. Black at Bell labs in 1927
- Rapid increase in telephone communication in 1920s
- Carrier technology (many simultaneous connections on one line) is made possible 1917 by innovative filters

1934 Amazing Linearity Results achieved at Bell

Feedback can eliminate variations of the electronic tube
Results were spectacular



Figure 3.3 *Gain frequency characteristics with and without feedback*

Reproduced (with partial redrawing) by permission of H.S. Black, from *Bell System Technical Journal*, 1934, **13**, p. 12

Distorted sound

Clear sound, also with many amplifiers in series

The Stability Problem

- Stability problems (”singing”)
- When can one use loop gains larger than 1?
- Fundamental results understanding stability by H. Nyquist and H. Bode (also Bell labs) etc in 1930-40s





Stabilize and Shape Behavior

Many systems use feedback stabilization to operate

- Airplanes
- Bicycles
- Segway
- Missiles
- Exotherm reactors
- Nuclear reactors
- …



Shaping Behavior

Lecture by Wilbur Wright 1901:

We know how to construct airplanes
We also know how to build engines
Inability to balance and steer still confronts students of the flying problem
When this one feature has been worked out, the age of flying will have arrived, for all other difficulties are of minor importance

The main stream idea at the time was to build stable airplanes. The Wright Brothers built an **unstable** airplane that was **manoevrable.**

Substantial advantages are obtained by designing an unstable aircraft and using a control system to stabilize the system



General Theory: Inverted Pendulums



Same underlying mathematics and control theory

The Segway Example

How should the controlled system behave?
”Keep balance and move by leaning”

Segway Variants

Control is Everywhere – But Often a Hidden Technology

- Used everywhere and very successful
- Mission-critical for many products and systems
- Not very much attention
  - Except when failing

- Why?
  - Easier to market physical things than principles, methods and ideas



Dont try this at home!

Chernobyl Nuclear Power Plant

©AP/WIDE WORLD PHOTOS

Figure 2. *Chernobyl nuclear power plant shortly after the accident on 26 April 1986.*

A Swedish (Linköping) Example

On 2 February 1989, the first prototype JAS 39-1 crashed on its sixth flight, when attempting to land in Linköping. The accident was filmed in a now famous recording by a crew from Sveriges Television's Aktuellt. The pilot, Lars Rådeström, remained in the tumbling aircraft, and escaped with a fractured elbow and some minor injuries. The crash was the result of pilot-induced oscillation (PIO).

Vehicles





Automotive

Strong technology driver

Engine control

Power trains

Cruise control

Adaptive cruise control

Traction control

Lane guidance assistance

Traffic flow control



Example: Stabilization of Vehicle Dynamics





Brad Schofield Automatic Control LTH 2006

Unmanned Aerial Vehicles

QuadCopters, Drones

Rapid Robot Development

http://www.youtube.com/watch?v=W1czBcnX1Ww

https://www.youtube.com/watch?v=g0TaYhjpOfo

https://www.youtube.com/watch?v=kw37NUs6YKo

https://www.youtube.com/watch?v=RDZu04v7_hc

https://www.youtube.com/watch?v=7_MnIJnx27A

(FAKE)

Consumer Electronics



Power Generation and Distribution



Process Control

Buildings

Design &
Energy Analysis

Windows &
Lighting

Natural
Ventilation

Indoor
Environment

Elevators

Safety

HVAC

Vibration
damping

Sensors, Networks,Communications, Controls

Slide from UTRC



Biology



Feedback is a central feature of life. The process of feedback governs how we grow, respond to stress and challenge, and regulate factors such as body temperature, blood pressure, and cholesterol level. The mechanisms operate at every level, from the interaction of proteins in cells to the interaction of organisms in complex ecologies.

Mahlon B Hoagland and B Dodson The Way Life Works Times Books 1995

ESS – Accelerator Control

Learning directly from data

In this course we teach a **model-based approach** to control design

There is interesting ongoing research on:
ML, Reinforcement Learning, Adaptive control, Dual Control,…

Research area at our department from the 1970s

Model-based approach vs RL

Model-based approaches almost always (today) outperform general learning approaches, except for toy problems where it is cost-free to fail

Inverted pendulum control by RL
https://www.youtube.com/watch?v=Lt-KLtkDlh8

Model-based approach (triple inverted pendulum)
https://www.youtube.com/watch?v=cyN-CRNrb3E

Why Work With Control?

- Can work in many different areas – no need to commit to specific field. Courses for F, E, D, C, M, I, Pi, K, B, W, N, BME

- Fun mixture between theory and practice

- Holistic view of systems, get the complete picture, not only different small parts (future is in complex systems)

- Working with many different kind of people

- Broad job market. Future-proof. Flexible. Fun.

So Follow Master Yoda's Advice: